

References:

- [1] Yu-Rong Zeng, Yi Zeng, Beomjin Choi, Lin Wang. Multifactor-Influenced Energy Consumption Forecasting Using Enhanced Back-propagation Neural Network. *Energy*, 2017; 127:381-396.
- [2] Uzlu E, Kankal M, Akpınar A, Dede T. Estimates of energy consumption in Turkey using neural networks with the teaching-learning-based optimization algorithm. *Energy* 2014; 75: 295-303.
- [3] Martin T. Hagan, Howard B. Demuth. *Neural Network Design 2nd Edition*, 2014.
- [4] Alaa Ali Hameed, Bekir Karlik, Mohammad Shukri Salman. Back-propagation Algorithm with Variable Adaptive Momentum. *Knowledge-Based Systems*, 2016; 114:79-87.
- [5] C.G. Looney, "Advances in feedforward neural networks: demystifying knowledge acquiring black boxes", *IEEE Transactions on Knowledge and Data Engineering*, Volume: 8, Issue: 2, 1996
- [6] "Energy Audit of Bahir Dar Textile Share Company, Ethiopia", Bangalore: The Energy and Resources Institute; 53 pp., Project Report No. 2013IB22, 2014
- [7] J. Sola, "Importance of input data normalization for the application of neural networks to complex industrial problems", *IEEE Transactions on Nuclear Science*, Volume: 44, Issue: 3, 1997
- [8] Zhang Q., Sun S. Weighted Data Normalization Based on Eigenvalues for Artificial Neural Network Classification. In: Leung C.S., Lee M., Chan J.H. (eds) *Neural Information Processing. ICONIP. Lecture Notes in Computer Science*, Springer, 2009; 5863.
- [9] N. Murata, S. Yoshizawa & S. Amari, "Network information criterion-determining the number of hidden units for an artificial neural network model", *IEEE Transactions on Neural Networks*, Volume: 5, Issue: 6, 1994
- [10] Saduf Afzal, Mohd. Arif Wani "Comparative Study of Adaptive Learning Rate with Momentum and Resilient Back Propagation Algorithms for Neural Net Classifier Optimization"
- [11] Wahed, M. A "Adaptive learning rate versus Resilient back propagation for numeral recognition" *Journal of Al-Anbar University for Pure Science*, 94-105, 2008
- [12] D. Erdogmus. Accurate initialization of neural network weights by backpropagation of the desired response. *Proceedings of the International Joint Conference on Neural Networks*, 2003
- [13] Go J., Baek B., Lee C. Analyzing Weight Distribution of Feedforward Neural Networks and Efficient Weight Initialization. In: Fred A., Caelli T.M., Duin R.P.W., Campilho A.C., de Ridder D. (eds) *Structural, Syntactic, and Statistical Pattern Recognition. Lecture Notes in Computer Science*, Springer, 2004; 3138
- [14] Weipeng Cao, Xizhao Wang, Zhong Ming, Jinzhu Gao, A Review on Neural Networks with Random Weights, *Neurocomputing*, 2017; In Press, Corrected Proof — Note to users.
- [15] E. Barnard, "Optimization for training neural nets," *IEEE Trans. on Neural Networks*, vol. 3, no. 2, pp. 232–240, 1992.
- [16] T. P. Vogl, J. K. Mangis, A. K. Zigler, W. T. Zink and D. L. Alkon, "Accelerating the convergence of the backpropagation method," *Biological Cybernetics.*, vol. 59, pp. 256–264, 1988.
- [17] Liu, Y., Starzyk, J.A., Zhu, Z.,. Optimized approximation algorithm in neural networks without overfitting. *IEEE Trans. Neural Networks* 19 (6), 2008; 983–995.
- [18] Masoud Yaghinin, Mohammad M. Khoshraftar, Mehdi Fallahi. A hybrid algorithm for artificial neural network training. *Engineering Applications of Artificial Intelligence*, 2013; 26:293-301.