











- development. *Egypt Poultry Science*. 32:675-689.
- [19] Loyau, T., C. Berri, L. Bedrani, S. Métayer-Coustard, C. Praud, M. J. Duclos, S. Tesseraud, N. Rideau, N. Everaert, S. Yahav, S. Mignon-Grasteau and A. Collin (2013). Thermal manipulation of the embryo modifies the physiology and body composition of broiler chickens reared in floor pens without affecting breast meat processing quality. *Journal of Animal Science*. 91:3674-3685.
- [20] Collins, K. E. ; B. J. Jordan; B. L. McLendon; K. J. Navara; R. B. Beckstead and J. L. Wilson (2013). No evidence of temperature-dependent sex determination or sex-biased embryo mortality in the chicken. *Poultry Science*. 92(12):3096-3102.
- [21] Walstra, I., J. Ten Napel, B. Kemp, and H. van den Brand (2010). Temperature manipulation during layer chick embryogenesis. *Poultry Science* 89:1502-1508.
- [22] Lourens, A., H. van den Brand, M. J. W. Heetkamp, R. Meijerhof, and B. Kemp (2007). Effects of eggshell temperature and oxygen concentration on embryo growth and metabolism during incubation. *Poult. Sci*. 86:2194–2199.
- [23] Piestun, Y., S. Druyan, J. Brake, and S. Yahav (2013b). Thermal manipulations during broiler incubation alter performance of broilers to 70 days of age. *Poultry Science* 92 :1155–1163.
- [24] Morita, V.D.S., I. C. Boleli and J. A. de Oliveira (2010). Hematological and incubation parameters of chicks from young breeders eggs: variation with sex and incubation temperature. *International Journal of Poultry Science* 9 (6): 606-612.
- [25] Molenaar, R., R. Hulet, R. Meijerhof, C.M. Maatjens, B. Kemp, and H. van den Brand (2011). High eggshell temperatures during incubation decrease growth performance and increase the incidence of ascites in broiler chickens. *Poultry Science*. 90 :624–632.
- [26] Lourens, A, H., V. D. Brand, R. Meijerhof, and B. Kemp (2005). Effect of eggshell temperature during incubation on embryo development, hatchability, and posthatch development. *Poult. Sci*. 84:914-320.
- [27] Collin, A., C. Berri, S. Tesseraud, F.E. Requena-Rodon, S. Skiba Cassy, S. Crochet, M.J. Duclos, N. Rideau, K. Tona, J. Buyse, V. Bruggeman, E. Decuypere, M. Picard, and S. Yahav (2007). Effects on thermal manipulation during early and late embryogenesis on thermotolerance and breast muscle characteristics in broiler chickens. *Poultry Science* 86: 795–800.
- [28] Joseph, N. S., A. Lourens, and E. T. Moran (2006). The effects of suboptimal eggshell temperature during incubation on broiler chick quality, live performance, and further processing yield. *Poult. Sci*. 85:932–938.
- [29] Wu, J. J. , W. M. Li , Y. P. Feng , R. X. Zhao , C. Wang , Y. Yu , L. G. Yang , and S. J. Zhang (2012). Sex-biased mortality analysis in chick embryos during the entire period of incubation. *J. appl. Poult. Res*. 21: 508–512.
- [30] Tzschentke, B. and I. Halle (2009). Influence of temperature stimulation during the last 4 days of incubation on secondary sex ratio and later performance in male and female broiler chicks. *British Poultry Science*; 50:634-640.
- [31] Werner, C., C. Wecke, F. Liebert, and M. Wicke (2010). Increasing the incubation temperature between embryonic day 7 and 10 has no influence on the growth and slaughter characteristics as well as meat quality of broilers. *Anim*. 4: 810-816.
- [32] Tatge, S., K. Melchior, I. Halle, M. Boerjan and B. Tzschentke (2014). Temperature training before hatching: successful method to optimize hatching results and performance in broiler chickens. *World Poultry Science Association, Incubation and Fertility Research Group, Lunteren, The Netherlands, 29th-30th September, 2014*.
- [33] Wang, S.Y., K.J. Yang, K.Y. Wang, S.H. Kuo, C.Y. Liao, and Y.H. Chen (2014). Manipulating incubation conditions to alter sex ratio of Taiwan Country Chickens. *World Poultry Science Association, Incubation and Fertility Research Group, Lunteren, The Netherlands, 29th-30th September, 2014*.
- [34] Catalano, R., T. Bruckner and K.R. Smith (2008). Ambient temperature predicts sex ratios and male longevity. *Proceedings of the National Academy of Science of the United State of America*. 105: 2244-2247.
- [35] Hays, F. A. and E. W. Spear (1952). Relation of age of parents to mortality and sex ratio of chicks at eight weeks. *Poult. Sci*. 31:792-795. Cited by Collins, K.E. (2013).
- [36] Hays, F. A. (1952). Sex ratio in Rhode Island Red chicks at hatching. *Poult. Sci*. 31:1094. Cited by Collins, K.E. (2013).
- [37] Decuypere, E. and V. Bruggeman (2007). The endocrine interface of environmental and egg factors affecting chick quality. *Poultry Science*. 86:1037–1042.