





































- [12] Igathinathane, C., Chattopadhyay, P.K., Pordesimo, L.O. (2008). Moisture diffusion modelling of parboiled paddy accelerated tempering process with extended application to multi-pass drying simulation. *Journal of Food Engineering* 88(2): 239–253.
- [13] Liu, G. (2014). Food losses and food waste in China: a first estimate. 72pp.
- [14] Nalley, L., Dixon, B., Tack, J., Barkley, A. and Jagadish, K. (2016). Optimal Harvest Moisture Content for Maximizing Mid-South Rice Milling Yields and Returns. *Agronomy Journal* 108(2): 701-712.
- [15] Ogendo, J. O., Deng, A. L., Belmain, S. R., Walker, D. J. and Musandu, A. A. O. (2004). Effect of insecticidal plant materials, *Lantana camara* L. and *Tephrosia vogelii* Hook, on the quality parameters of stored maize grains. *Journal of food technology in Africa* 9(1): 29 - 35.
- [16] Phil, H. and Bh, S. (2002). Preventing stored-grain insect infestation. Regents of the University of Minnesota. 45pp.
- [17] Sandeep, B. and Rupali, S. (2015). Recent advances in on-farm paddy storage. *International Journal of Farm Sciences* 5(2): 265-272.
- [18] Villers, P., Navarro, S. and De Bruin, T. (2010). New applications of hermetic storage for grain storage and transport. In: Carvalho MO(eds) *Proceedings of the 10th International Working Conference on Stored Product Protection*, 27 June to 2 July 2010, Estoril, Portugal. Julius Kühn-Institut, Berlin, Germany, pp. 446 - 451.
- [19] Zhou, L., Liang, S., Ponce, K., Marundon, S., Ye, G. and Zhao, X. (2015). Factors affecting head rice yield and chalkiness in indica rice. *Field Crops Research* 172: 1-10.