

- [12] S. Hajji, I. Younes, O.G. Bellaaj, R. Hajji, M. Rinaudo, M. Nasri, and K. Jellouli. Structural Differences Between Chitin and Chitosan Extracted From Three Different Marine Sources. *International Journal of Biological Macromolecules*, Vol. 65, 2014, pp. 298–306.
- [13] K. Kurita. Chitin and Chitosan: Functional Biopolymers From Marine Crustaceans. Vol. 8, 2006, pp. 203–226.
- [14] M.F.A. Goosen, *Applications of Chitin and Chitosan*, ed. P.A. Lancaster: Technomic Publishing, 1997.
- [15] R.A.A. Muzzarelli, *Chitin*. (Oxford: Pergamon Press), 1977.
- [16] A. Bhatnagar, and M. Sillanpaa, Utilization of Agro-Industrial and Municipal Waste Materials As Potential Adsorbents For Water Treatment—a review, *Chemical Engineering Journal*, Vol. 157, No. 277, 2010.
- [17] P.D. Johnson, M.A. Watson, J. Brown and, I.A. Jefcoat, Peanut Hull Pellets As A Single Use Sorbent For The Capture of Cu(II) From Waste Water, *Waste Management*, Vol. 22, No. 5, 2002, pp. 471–480.
- [18] C.S. Zhu, L.P. Wang, and B. Chen, Removal of Cu(II) From Aqueous Solution By Agricultural By—Product: Peanut Hull. *Journal of Hazardous Materials*, Vol. 168, No. 2–3, 2009. Pp. 739–746.
- [19] AOAC, Official Methods of Analysis of The Association of Official Analytical Chemists, 14th Edition, The Association of Official Analytical Chemists. Arlington. Virginia. 1984.
- [20] P. Mukoma, B.R. Jooste, and HCM Vosloo, A Comparison of Methanol Permeability In Chitosan and Nafion 117 Membranes at High to Medium Methanol Concentrations, *Journal of Membrane Science*, 2004, pp. 293-299.
- [21] H.K. No, S.P. Meyer, and K.S. Lee, Isolation and Characterization of Chitin From Crawfish Shell Waste, *Journal of Agricultural and Food Chemistry*, Vol. 37, 1997, pp. 493-575.
- [22] D.L. Pavia, G.M. Lampman, G.S. Kriz, and J.A. Vyvyan, *Introduction to spectroscopy: A Guide for Students of Organic Chemistry*, 5th edition, 2009.