













- Syst., Vol. 21, No. 3, Aug. 2006, pp. 1260–1266.
- [7] DU. Hau Aik, “A general-order system frequency response model incorporating load shedding, analytic modeling and applications,” *IEEE Trans Power Syst*, 2006, pp. 709–717.
- [8] U. Rudez, and R. Mihalic, "Monitoring the first frequency derivative to improve adaptive underfrequency load-shedding schemes", *IEEE Trans. Power Syst.*, Vol. 26, No. 2, 2011, pp. 839-846.
- [9] U. Rudez, and R. Mihalic, "Analysis of underfrequency load shedding using a frequency gradient", *IEEE Trans. Power Del.*, Vol. 26, No.2, 2011, pp. 565-575.
- [10] M. Giroletti, M. Farina, and R. Scattolini, “A hybrid frequency/power based method for industrial load shedding,” *Electr Power Energy Syst.*, 2012, pp. 194–200.
- [11] A. Ketabi, and M. H. Fini, "An underfrequency load shedding scheme for islanded microgrids", *Int. J. Elec. Power*, Vol. 62, 2014, pp. 599-607.
- [12] A. Ketabi, and M. H. Fini, "An underfrequency load shedding scheme for hybrid and multiarea power systems", *IEEE Trans. Smart Grid*, Vol. 6, No.1, 2015, pp. 82-91.
- [13] Q. Zhao and Ch. Chen, “Study on a system frequency response model for a large industrial area load shedding,” *International Journal of Electrical Power and Energy Systems*, Elsevier, Vol. 27, 2005, pp. 233-237.
- [14] J. A. Laghari, H. Mokhlis, A. H. A. Bakar, and Hasmaini Mohamad. “Application of computational intelligence techniques for load shedding in power systems: A review”, *Energy Conv. and Man.* 75, 2013, pp. 130-140.