































- [8] M. van Dorpe, "Economic feasibility of Jatropha production and processing: A calculation model for business case development by small producer organisations(SPO)," Global Sustainable Biomass Fund of NL Agency., 2013.
- [9] S. Y. Kpalo, M. F. Zainuddin, L. A. Manaf and A. M. Roslan, "A review of technical and economic aspects of biomass briquetting," *Sustain*, vol. 12, no. 11, 2020.
- [10] J. H. Peng, X. T. Bi, S. Sokhansanj and C. J. Lim, "Torrefaction and densification of different species of softwood residues," *Fuel*, vol. 111, pp. 411-421, 2013.
- [11] J. Nunes, J. Matias and J. Catalão, "A review on torrefied biomass pellets as a sustainable alternative to coal in power generation," *Renew Sustain Energy Rev*, vol. 40, pp. 153-160, 2014.
- [12] F. Verhoeff, A. A. Arnuelos, A. Boersma, J. Pels and J. Lensselink, "Torrefaction technology for the production of solid bioenergy carriers from biomass and waste," *Engineering*, 2011.
- [13] L. Wang, L. Riva, . Ø. Skreiberg, R. Khalil, P. Bartocci, Q. Yang, H. Yang, X. Wang, D. Chen, M. Rudolfsson and H. Nielsen, "Effect of Torrefaction on Properties of Pellets Produced from Woody," *Energy and Fuels*, vol. 34, no. 12, 2020.
- [14] W. Stelte, C. Clemons, J. K. Holm, A. R. Sanadi, J. Ahrenfeldt, L. Shang and U. B. Henriksen, "Pelletizing properties of torrefied," *Biomass Bioenergy*, vol. 35, no. 11, pp. 4690-4698, 2011.
- [15] W. H. Chen, J. Peng and X. T. Bi, "A state of the art review of biomass torrefaction, densification and application," *Renewable and Sustainable Energy Review*, vol. 44, pp. 847 - 866, 2015.
- [16] P. Nanou, W. Huijgen, M. Carbo and J. T. Kiel, "The role of lignin in the densification of torrefied wood in relation to the final product properties," *Biomass Bioenergy*, vol. 111, pp. 248-262, 2018.
- [17] P. Gilbert, C. Ryu, V. Sharifi and J. Swithernbank, "Effect of process parameters on pelletisation of herbaceous crops," *Fuel*;10.1016/j.fuel.20, vol. 88, pp. 1491-1497, 2009.
- [18] W. A. González, D. López and J. F. Pérez, "Biofuel quality analysis of fallen leaf pellets: Effect of moisture and glycerol contents as binders," *Renewable Energy*, vol. 147, pp. 1139 -1150, 2020.
- [19] S. P. Rajput, S. V. Jadhav and B. N. Thorat, "Methods to improve properties of fuel pellets obtained from different biomass sources: Effects of biomass blends and binder," *Fuel Process. Technol*, vol. 199, 2020.
- [20] Z. Wang, Y. Zhai, T. Wang, B. Wang, C. Peng and C. Li, "Pelletizing of hydrochar biofuels with organic binders, *Fuel* 280 (2020) 118659," *Fuel*, vol. 280, no. 118659, 2020.
- [21] B. B. Adhikari, M. Chae, C. Zhu, A. Khan and D. Hartfield, "Pelletization of Torrefied Wood Using a Proteinaceous Binder Developed from Hydrolyzed Specified Risk Materials," *Processes*; <https://doi.org/10.3390/pr7040229>, vol. 7, no. 229, 2019.
- [22] N. Kaliyan and R. V. Morey, "Factors affecting strength and durability of densified biomass products," *Biomass and Bioenergy*, vol. 33, no. 3, pp. 337-359, 2009.
- [23] L. Shang, N. P. K. Nielsen, W. Stelte, J. Dahl, J. Ahrenfeldt, J. K. Holm, M. P. Arnavat, S. Lars, L. S. Bach and U. B. Henriksen, "Lab and Bench-Scale Pelletization of Torrefied Wood wood chips—process optimization and pellet quality," *BioEnergy Res*, pp. 8-94, 2013.
- [24] L. Cao, X. Yuan, H. Li, C. Li, Z. Xiao and L. Jiang, "Complementary effects of torrefaction and co-pelletization: Energy consumption and characteristics of pellets," *Bioresource Technology*, vol. 185, pp. 254-262, 2015.
- [25] X. Bai, G. Wang, C. Gong, Y. Yu, W. Liu and D. Wang, "Co-pelletizing characteristics of torrefied wheat straw with peanuts hell," *Bioresour Technol*;

<https://doi.org/10.1016/j.biortech.2017.02.091>, vol. 233, pp. 373-81, 2017.

[26] A. Bazargan, S. L. Rough and G. McKay, "Compaction of palm kernel shell biochars for application as solid fuel," *Biomass Bioenergy*; <https://doi.org/10.1016/j.biombioe.2014.08.015>, pp. 489-97, 2014.

[27] J. Peng, X. T. Bi, C. J. Lim, H. Peng, C. S. Kim and D. Jia, "Saw dust as an effective binder for making torrefied pellets," *Appl Energy*; <https://doi.org/10.1016/j.apenergy.2015.06.024>, vol. 157, pp. 491-8, 2015.

[28] E. Kethobile, C. Ketlogetswe and J. Gandure, "Characterization of the non-oil *Jatropha* material for use as a source of solid fuel," *Biomass conversion and bio-refinery*; <https://doi.org/10.1007/s13399-019-00511-4>, pp. 1-17, 2019.

[29] Equilab, "www.equilab.es," 2016. [Online]. Available: <https://www.equilab.es/assets/equilab-pellet-presses-web.pdf>. [Accessed 26 April 2022].

[30] R. M. Davies and O. A. Davies, "Physical and Combustion Characteristics of Briquettes Made from Water Hyacinth and Phytoplankton Scum as Binder," *Journal of combustion*, vol. 2013, 2013.

[31] Y. Zhang, F. Chen, D. Chen, K. Cen, J. Zhang and X. Cao, "Upgrading of biomass pellets by torrefaction and its influence on the hydrophobicity, mechanical property, and fuel quality," *Biomass Conv. Bioref*, vol. 12, pp. 2061-2070, 2022.

[32] L. Sh, B. H. Lee, Y. J. Lee and C. H. Jeon, "Comparing the physicochemical properties of upgraded biomass fuel by torrefaction and the ashless technique," *Applied Sciences*, vol. 9, no. 24, p. 5519, 2019.

[33] L. G. Hassan, N. A. Sani, A. M. Sokoto and U. G. Tukur, "Comparative Studies of Burning Rates and Water Boiling Time of Wood Charcoal and Briquettes Produced from Carbonized *Martynia* annual woody Shells," *Nigerian Journal of Basic and Applied Science*, vol. 25, no. 2, pp. 21-27, 2017.

[34] R. M. A. a. a. ". J. Gaitán-Alvarez, J. Gaitán-Alvarez, R. Moya, A. Puente-Urbina and A. Rodriguez-Zuñig, "Physical and Compression Properties of Pellets Manufactured with the Biomass of Five Woody Tropical Species of Costa Rica Torrefied at Different Temperatures and Times," *Energies*, vol. 10, p. 1205, 2017.

[35] W179, "Moisture Content of 'Seasoned' Firewood,," W179 08-0079, Tennessee, 2007.

[36] L. Dzurenda and L. D. Banski, "The Effect of Firewood Moisture Content on the Atmospheric Thermal Load by Flue Gases Emitted by a Boiler," *Sustainability*, vol. 11, no. 284, 2019.