

Suggested measure may include regular examination of heavy metals in all the food commodities grown in and out. Daily consumption of food results in long term low level body accumulation of heavy metals, with negative impacts only after certain time interval of metal exposure.. As a consequence, regular inspection of these heavy metals from different water sources , vegetables and other daily intake is necessary to their entry in our food chain.

On behalf of all authors, the corresponding author states that there is no conflict of interest.

References

- [1]. Radwan, M. A. & Salama, A. K. Market basket survey for some heavy metals in Egyptian fruits and vegetables. *Food Chem. Toxicol.* **44**, 1273–1278 (2006).
- [2]. Liao, Y. P. *et al.* Migration and transfer of chromium in soil-vegetable system and associated health risks in vicinity of ferro-alloy manufactory. *Trans. Nonferrous Met. Soc. China (English Ed.)* **21**, 2520–2527 (2011).
- [3]. Perveen, S. *et al.* Study on accumulation of heavy metals in vegetables receiving sewage water. *J. Chem. Soc. Pakistan* **33**, 220–227 (2011).
- [4]. Rizwan, M. *et al.* Cadmium stress in rice: toxic effects, tolerance mechanisms, and management: a critical review. *Environ. Sci. Pollut. Res.* **23**, 17859–17879 (2016).
- [5]. Abaidoo, R. C., Keraita, B., Drechsel, P., Dissanayake, P. & Maxwell, A. S. Soil and Crop Contamination Through Wastewater Irrigation and Options for Risk Reduction in Developing Countries. in 275–297 (2010). doi:10.1007/978-3-642-05076-3_13.
- [6]. Jany, M. N. H., Sarker, C., Mazumder, M. A. R. & Shikder, M. F. H. Effect of storage conditions on quality and shelf life of selected winter vegetables. *J. Bangladesh Agril. Univ* **6**, 391–400 (2008).
- [7]. Khapre, A. P., Satwadhar, P. N. & Syed, H. M. *Studies on processing technology and cost estimation of fig (Ficus carica L.) fruit powder enriched Burfi (Indian cookie).* *Journal of Applied and Natural Science* vol. 7 www.ansfoundation.org (2015).
- [8]. Younis, U. *et al.* Biochar enhances the cadmium tolerance in spinach (*Spinacia oleracea*) through modification of Cd uptake and physiological and biochemical attributes. *Environ. Sci. Pollut. Res.* **23**, 21385–21394 (2016).
- [9]. Lane, J. *Determination of reducing sugars by Fehling's solution with methylene blue indicator.* (N. Rodger, 1934).
- [10]. Naikwadi, P. M., Chavan, U. D., Pawar, V. D. & Amarowicz, R. Studies on dehydration of figs using different sugar syrup treatments. *J. Food Sci. Technol.* **47**, 442–445 (2010).
- [11]. 11. Naikwadi, P. M., Chavan, U. D., Pawar, V. D. & Amarowicz, R. Studies on dehydration of figs using different sugar syrup treatments. *J. Food Sci. Technol.* **47**, 442–445 (2010).