

# New hybrid adaptive control for function projective synchronization of complex dynamical network with mixed time-varying and coupling delays

THONGCHAI BOTMART

Khon Kaen University

Department of Mathematics

123 Moo 16, Muang District, Khon Kaen

Thailand

thongbo@kku.ac.th

WAJAREE WEERA

University of Phayao

Department of Mathematics

19 Moo 2, Maeka, Muang, Phayao

Thailand

wajaree.we@up.ac.th

*Abstract:* This paper investigates function projective synchronization (FPS) for complex dynamical network with mixed time-varying and hybrid coupling delays, which is composed of state coupling, time-varying delay coupling and distributed time-varying delay coupling. In contrast to previous results, the coupling configuration matrix need not be symmetric or irreducible. The designed controller ensures that the FPS of delayed complex dynamical network are proposed via hybrid error adaptive control, which contains error term, time-varying delay error term and distributed time-varying delay error term. Based on the construction of improved Lyapunov-Krasovskii functional is combined with Leibniz-Newton formula and the technique of dealing with some integral terms, we prove the stability of the closed-loop system and the convergence of the error system. Numerical example is included to show the effectiveness of the proposed hybrid adaptive control scheme.

*Key-Words:* hybrid adaptive control; function projective synchronization; complex dynamical network; mixed time-varying delay; mixed coupling delay

## 1 Introduction

Complex dynamical network, as an interesting subject, has been thoroughly investigated for decades. These networks show very complicated behavior and can be used to model and explain many complex systems in nature such as computer networks [5], the world wide web [6], food webs [7], cellular and metabolic networks [8], social networks [17], electrical power grids [10] etc.

The concept of chaos synchronization is making two or more chaotic systems oscillate in a synchronized manner. There are several schemes which can be used to achieve chaos synchronization of chaos complex network, for example time-delay feedback control [28], intermittent control [28], adaptive control [29, 30], active control [18], nonlinear feedback control [31–33], sampled-data control [33]. The traditional method to synchronize a complex network is to add a controller to each of the network nodes to tame the dynamics to approach a desired synchronization trajectory. Authors in [34], investigated adaptive control strategy for complex delayed dynamical networks with time-varying coupling strength and time-varying delayed. Shi et al. [27], introduced FPS for complex dynamical networks with state coupling, which it is

not necessary for the coupling matrix to satisfy symmetric or nonnegative criteria. FPS is investigated via adaptive feedback control and pinning control with adaptive coupling strength.

In the last decade, the synchronization of complex dynamic networks has attracted much attention of researchers in this field [18, 22, 23, 27, 34]. Because the synchronization of complex dynamical networks can well explain many natural phenomena observed and is one of the important dynamical mechanisms for creating order in complex dynamical networks, the synchronization of coupled dynamical networks has come be a focal point in the study of nonlinear science. Wang and Chen introduced a uniform dynamical network model and also investigated its synchronization [37, 38]. They have shown that the synchronizability of a scale-free dynamical network is robust against random removal of nodes, and yet is fragile to specific removal of the most highly connected nodes [38]. Authors in [35, 36] investigated synchronization of general complex dynamical network models with coupling delays. Wang [39] introduced several synchronization criteria for both delay-independent and delay-dependent asymptotical stability. Li [40] investigated synchronization of complex

networks with time-varying couplings, the stability criteria were obtained by using Lyapunov-Krasovskii function method and subspace projection method.

Function projective synchronization (FPS), which is the generalization of projective synchronization (PS), is one of the important synchronization methods that have been widely investigated to obtain faster communication with its proportional feature. FPS of general complex networks was investigated which means that the nodes of complex networks could be synchronize up to an equilibrium point or periodic orbit with a desired scaling function. FPS has attracted the interest of many researchers in various fields [15, 18, 20, 21, 23, 25]. Very recently, FPS has been investigated in a two-cell quantum-CNN chaotic oscillator, [25, 26]. In [21], the authors just considered the FPS in drive-response dynamical networks (DRDNs) with coupled partially linear chaotic systems by assuming that the node dynamics are identical and using a simple control law. Furthermore, In [15], investigated the problem of FPS in DRDNs with nonidentical nodes by the adaptive open-plus-closed-loop method. Ref. [22], investigated FPS in DRDNs with uncertain parameters and disturbances. In [23], a hybrid feedback control method was proposed for achieving FPS in CDNs with constant time delay and time-varying coupling delay. In [18], the authors studied projective synchronization by using active control approach. These synchronization methods or ideas can be applied to the synchronization of complex network.

This paper, inspired by the above discussions, we shall investigate function projective synchronization (FPS) for complex dynamical network with mixed time-varying and hybrid coupling delays, which is composed of state coupling, time-varying delay coupling and distributed time-varying delay coupling. In contrast to previous results, the coupling configuration matrix need not be symmetric or irreducible. The designed controller ensures that the FPS of delayed complex dynamical network are proposed via hybrid error adaptive control, which contains error term, time-varying delay error term and distributed time-varying delay error term. Based on the construction of improved Lyapunov-Krasovskii functional is combined with Leibniz-Newton formula and the technique of dealing with some integral terms, we prove the stability of the closed-loop system and the convergence of the error system. Numerical example is included to show the effectiveness of the proposed hybrid adaptive control scheme.

**Notation**  $\mathbb{R}^n$  is the  $n$ -dimensional Euclidean space;  $\mathbb{R}^{m \times n}$  denotes the set of  $m \times n$  real matrices;  $I_n$  represents the  $n$ -dimensional identity matrix;  $\lambda(A)$  denotes the set of all eigenvalues of  $A$ ;

$\lambda_{\max}(A) = \max\{Re\lambda; \lambda \in \lambda(A)\}$ ;  $C([0, t], \mathbb{R}^n)$  denotes the set of all  $\mathbb{R}^n$ -valued continuous functions on  $[0, t]$ ;  $L_2([0, t], \mathbb{R}^m)$  denotes the set of all the  $\mathbb{R}^m$ -valued square integrable functions on  $[0, t]$ ; The notation  $X \geq 0$  (respectively,  $X > 0$ ) means that  $X$  is positive semidefinite (respectively, positive definite);  $\text{diag}(\dots)$  denotes a block diagonal matrix;  $\begin{bmatrix} X & Y \\ * & Z \end{bmatrix}$  stands for  $\begin{bmatrix} X & Y \\ Y^T & Z \end{bmatrix}$ . Matrix dimensions, if not explicitly stated, are assumed to be compatible for algebraic operations.

## 2 Problem statements and preliminaries

Consider a complex dynamical network consisting of  $N$  identical coupled nodes, with each node being an  $n$ -dimensional nonlinear dynamical system

$$\begin{aligned} \dot{x}_i(t) &= f(x_i(t), x_i(t-h(t)), \int_{t-k(t)}^t x_i(s) ds) \\ &+ c_1 \sum_{j=1}^N a_{ij} G_1 x_j(t) \\ &+ c_2 \sum_{j=1}^N b_{ij} G_2 x_j(t-h(t)) \\ &+ c_3 \sum_{j=1}^N c_{ij} G_3 \int_{t-k(t)}^t x_j(s) ds + \mathcal{U}_i(t), \\ t &\geq 0, \quad i = 1, 2, \dots, N, \\ x_i(t) &= \phi_i(t), t \in [-\tau_{\max}, 0], \tau_{\max} = \max\{h, k\}, \end{aligned} \quad (1)$$

where  $x_i(t) = (x_{i1}(t), x_{i2}(t), \dots, x_{in}(t))^T \in \mathbb{R}^n$  is the state vector of  $i$ th node;  $\mathcal{U}_i(t) \in \mathbb{R}^m$  are the control input of the node  $i$ ; the constant  $c_1, c_2, c_3 > 0$  are the coupling strength;  $G_1 = (g_{1ij})_{n \times n}$ ,  $G_2 = (g_{2ij})_{n \times n}$ ,  $G_3 = (g_{3ij})_{n \times n} \in \mathbb{R}^{n \times n}$  are a constant inner-coupling matrix;  $A = (a_{ij})_{N \times N}$ ,  $B = (b_{ij})_{N \times N}$ ,  $C = (c_{ij})_{N \times N} \in \mathbb{R}^{N \times N}$  are the outer-coupling matrix of the network, in which  $a_{ij}, b_{ij}$  are defined as follows: if there are a connection between node  $i$  and node  $j$  ( $j \neq i$ ), then  $a_{ij} > 0$ ,  $b_{ij} > 0$ ,  $c_{ij} > 0$ ; otherwise,  $a_{ij} = a_{ji} = 0$ ,  $b_{ij} = b_{ji} = 0$ ,  $c_{ij} = c_{ji} = 0$  ( $j \neq i$ ), and the diagonal elements of

matrix  $A$ ,  $B$  and  $C$  are defined by

$$\begin{aligned} a_{ii} &= - \sum_{j=1, i \neq j}^N a_{ij} = - \sum_{j=1, i \neq j}^N a_{ji}, \\ b_{ii} &= - \sum_{j=1, i \neq j}^N b_{ij} = - \sum_{j=1, i \neq j}^N b_{ji}, \\ c_{ii} &= - \sum_{j=1, i \neq j}^N c_{ij} = - \sum_{j=1, i \neq j}^N c_{ji}, i = 1, 2, \dots, N. \end{aligned} \quad (2)$$

**Definition 1.** The network (1) with time delay is said to achieve function projective synchronization if there exists a continuously differentiable scaling function matrix  $\alpha(t)$  such that

$$\lim_{t \rightarrow \infty} \|e_i(t)\| = \lim_{t \rightarrow \infty} \|x_i(t) - \alpha(t)s(t)\|, i = 1, 2, \dots, N$$

where  $\|\cdot\|$  stands for the Euclidean vector norm and  $s(t) \in \mathbb{R}^n$  can be an equilibrium point, or a (quasi-)periodic orbit, or an orbit of a chaotic attractor, which satisfies  $\dot{s}(t) = f(s(t), s(t - h(t)), \int_{t-k_1(t)}^t s(\theta) d\theta)$ .

To investigate the stability of the synchronized states (1), we set the synchronization error  $e_i(t)$  in the form  $e_i(t) = x_i(t) - \alpha(t)s(t)$ ,  $i = 1, \dots, N$ , where  $\alpha(t)$  is a  $n$ -order real diagonal matrix, i.e.  $\alpha(t) = \text{diag}(\alpha(t)_1, \alpha(t)_2, \dots, \alpha(t)_n)$  and  $\alpha_i(t)$  is a continuously bounded differentiable function. Then, substituting it into complex dynamical network (1), it is easy to get the following:

$$\begin{aligned} \dot{e}_i(t) &= \dot{x}_i(t) - \dot{\alpha}(t)s(t) - \alpha(t)\dot{s}(t) \\ &= f(x_i(t), x_i(t - h(t)), \int_{t-k(t)}^t x_i(s) ds) \\ &\quad - \alpha(t)f(s(t), s(t - h(t)), \int_{t-k(t)}^t s(\theta) d\theta) \\ &\quad + c_1 \sum_{j=1}^N a_{ij} G_1 e_j(t) \\ &\quad + c_2 \sum_{j=1}^N b_{ij} G_2 e_j(t - h(t)) \\ &\quad + c_3 \sum_{j=1}^N c_{ij} G_3 \int_{t-k(t)}^t e_j(s) ds \\ &\quad - \dot{\alpha}(t)s(t) + \mathcal{U}_i(t), i = 1, \dots, N. \end{aligned} \quad (3)$$

The initial condition function  $\phi_i(t)$  denotes a continuous vector-valued initial function of  $t \in [-\tau_{\max}, 0]$ ,  $\tau_{\max} = \max\{h, k\}$ .

In the rest of this paper, we need the following assumption and some lemmas:

**Assumption 2.** The time-varying delay functions  $h(t)$  is differential function and  $k(t)$  with satisfy the condition  $0 \leq h(t) \leq h$ ,  $0 \leq k(t) \leq k$  and  $0 \leq \dot{h}(t) \leq h < 1$ .

**Lemma 3.** [1] (Cauchy inequality) For any symmetric positive definite matrix  $N \in \mathbb{R}^{n \times n}$  and  $x, y \in \mathbb{R}^n$  we have

$$\pm 2x^T y \leq x^T N x + y^T N^{-1} y.$$

**Lemma 4.** [1] For any constant symmetric matrix  $M \in \mathbb{R}^{m \times m}$ ,  $M = M^T > 0$ ,  $\gamma > 0$ , vector function  $\omega : [0, \gamma] \rightarrow \mathbb{R}^m$  such that the integrations concerned are well defined, then

$$\begin{aligned} &\left( \int_0^\gamma \omega^T(s) ds \right)^T M \left( \int_0^\gamma \omega(s) ds \right) \\ &\leq \gamma \int_0^\gamma \omega^T(s) M \omega(s) ds. \end{aligned}$$

**Lemma 5.** [2]. Let  $c \in \mathbb{R}$  and  $A, B, C, D$ , be matrices with appropriate dimensions. Then

- (i)  $c(A \otimes B) = (cA) \otimes B = A \otimes (cB)$ ,
- (ii)  $(A \otimes B)^T = A^T \otimes B^T$ ,
- (iii)  $(A \otimes B)(C \otimes D) = (AC) \otimes (BD)$ ,
- (iv)  $A \otimes B \otimes C = (A \otimes B) \otimes C = A \otimes (B \otimes C)$ .

### 3 Main results

In this section, we will give some sufficient condition for function projective synchronization of complex dynamical network with discrete and distributed time-varying delays and mixed- coupling delays (1) via hybrid adaptive control In order to stabilize the origin of delayed complex dynamical network (1) by means of the hybrid adaptive control  $\mathcal{U}_i(t)$  such as

$$\mathcal{U}_i(t) = u_{i1}(t) + u_{i2}(t), i = 1, 2, \dots, N, \quad (4)$$

where

$$\begin{aligned} u_{i1}(t) &= \dot{\alpha}(t)s(t), \\ u_{i2}(t) &= -c_1 d_{i1}(t) G_1 e_i(t) - c_2 d_{i2}(t) G_2 e_i(t - h(t)) \\ &\quad - c_3 d_{i3}(t) G_3 \int_{t-k(t)}^t e_i(\theta) d\theta, \end{aligned}$$

and the updating laws are

$$\begin{aligned} \dot{d}_{i1}(t) &= q_{i1} e_i^T(t) G_1 e_i(t), \\ \dot{d}_{i2}(t) &= q_{i2} e_i^T(t) G_2 e_i(t - h(t)), \\ \dot{d}_{i3}(t) &= q_{i3} e_i^T(t) G_3 \left[ \int_{t-k(t)}^t e_i(\theta) d\theta \right], \end{aligned} \quad (5)$$

where  $q_{i1}, q_{i2}$  and  $q_{i3}$  are positive constants and  $s(t)$  is a solution of an isolated node, satisfying  $\dot{s}(t) = f(s(t), s(t-h(t)), \int_{t-k(t)}^t s(\theta) d\theta)$ . The controller in (4),  $u_{i1}(t)$  is the nonlinear feedback control and  $u_{i2}(t)$  is the hybrid adaptive linear feedback control. Then, substituting it into complex dynamical network (6), it is easy to get the following:

$$\begin{aligned} \dot{e}_i(t) &= \dot{x}_i(t) - \dot{\alpha}(t)s(t) - \alpha(t)\dot{s}(t) \\ &= f(x_i(t), x_i(t-h(t)), \int_{t-k(t)}^t x_i(s) ds) \\ &\quad - \alpha(t)f(s(t), s(t-h(t)), \int_{t-k(t)}^t s(\theta) d\theta) \\ &\quad + c_1 \sum_{j=1}^N a_{ij} G_1 e_j(t) \\ &\quad + c_2 \sum_{j=1}^N b_{ij} G_2 e_j(t-h(t)) \\ &\quad + c_3 \sum_{j=1}^N c_{ij} G_3 \int_{t-k(t)}^t e_j(s) ds \\ &\quad - c_1 d_{i1}(t) e_i(t) - c_2 d_{i2}(t) e_i(t-h(t)) \\ &\quad - c_3 d_{i3}(t) \int_{t-k(t)}^t e_i(\theta) d\theta, i = 1, \dots, N, \end{aligned} \quad (6)$$

$$\begin{aligned} \dot{d}_{i1}(t) &= q_{i1} e_i^T(t) G_1 e_i(t), i = 1, \dots, N \\ \dot{d}_{i2}(t) &= q_{i2} e_i^T(t) G_2 e_i(t-h(t)), i = 1, \dots, N \\ \dot{d}_{i3}(t) &= q_{i3} e_i^T(t) G_3 \left[ \int_{t-k(t)}^t e_i(\theta) d\theta \right], i = 1, \dots, N. \end{aligned}$$

Let us set

1.  $J(t) = f'(s(t), s(t-h(t)), \int_{t-k(t)}^t s(\xi) d\xi) \in R^{n \times n}$  is the Jacobian of  $f(x(t), x(t-h(t)), \int_{t-k(t)}^t x(s) ds)$  at  $s(t)$  with the derivative of  $f(x(t), x(t-h(t)), \int_{t-k(t)}^t x(s) ds)$  respect to  $x(t)$ ,
2.  $J_h(t) = f'(s(t), s(t-h(t)), \int_{t-k(t)}^t s(\xi) d\xi) \in R^{n \times n}$  is the Jacobian of  $f(x(t), x(t-h(t)), \int_{t-k(t)}^t x(s) ds)$  at  $s(t-h(t))$  with the derivative of  $f(x(t), x(t-h(t)), \int_{t-k(t)}^t x(s) ds)$  respect to  $x(t-h(t))$ ,
3.  $J_{k_1}(t) = f'(s(t), s(t-h(t)), \int_{t-k(t)}^t s(\xi) d\xi) \in R^{n \times n}$  is the Jacobian of  $f(x(t), x(t-h(t)), \int_{t-k(t)}^t x(s) ds)$  at  $\int_{t-k(t)}^t s(\xi) d\xi$  with the derivative of  $f(x(t), x(t-h(t)), \int_{t-k(t)}^t x(s) ds)$  respect to  $\int_{t-k(t)}^t x(s) ds$

and

$$\begin{aligned} \delta &= \frac{1}{2\lambda_{\min}(I_N \otimes G_2)} (\varepsilon_1 + c_2 \varepsilon_2 + c_2 d_2^* \varepsilon_5), \\ \tau &= \frac{1}{2\lambda_{\min}(I_N \otimes G_3)} (\varepsilon_2 + c_3 \varepsilon_4 + 2c_3 d_3^* \varepsilon_6), \\ \eta &= \frac{1}{\lambda_{\min}(I_N \otimes G_1)} (\bar{\lambda}(I_N \otimes J(t)) \\ &\quad + c_1 \bar{\lambda}(A) \bar{\lambda}(G_1) + \frac{c_2}{2(1-\beta)} \bar{\lambda}(I_N \otimes G_2) \\ &\quad + \frac{c_3 k^2}{2} \bar{\lambda}(I_N \otimes G_3) + \frac{1}{2\varepsilon_1} \bar{\lambda}(I_N \otimes J_h(t) J_h^T(t)) \\ &\quad + \frac{1}{2\varepsilon_2} \bar{\lambda}(I_N \otimes J_k(t) J_k^T(t)) \\ &\quad + \frac{c_2}{2\varepsilon_3} \bar{\lambda}(BB^T) \bar{\lambda}(G_2 G_2^T) + \frac{c_3}{2\varepsilon_4} \bar{\lambda}(CC^T) \bar{\lambda}(G_3 G_3^T) \\ &\quad + \frac{c_2 d_2^*}{2\varepsilon_5} \bar{\lambda}(I_N \otimes G_2 G_2^T) + \frac{c_3 d_3^*}{2\varepsilon_6} \bar{\lambda}(I_N \otimes G_3 G_3^T)). \end{aligned}$$

**Theorem 6.** For some given synchronization scaling function  $\alpha(t)$ , the complex dynamical networks (1) with time-varying delay satisfying Assumption 2. and target system can realize function projective synchronization by the adaptive control law as shown in (4) if there exist positive constants  $\varepsilon_i, i = 1, 2, \dots, 5$  and by taking appropriate  $d_1^*, d_2^*$  and  $d_3^*$  such that

$$d_1^* - \frac{\eta}{c_1} > 0, \quad (7)$$

$$d_2^* - \frac{1}{\varepsilon_5} (\frac{\varepsilon_1}{c_2} + \varepsilon_2 - \lambda_{\min}(I_N \otimes G_2)) > 0, \quad (8)$$

$$d_3^* - \frac{1}{\varepsilon_6} (\frac{\varepsilon_2}{c_3} + \varepsilon_4 - \lambda_{\min}(I_N \otimes G_3)) > 0. \quad (9)$$

Then the controlled complex dynamical networks (1) is function projective synchronization.

*Proof.* Since  $f(\cdot)$  is continuous differentiable, it is easy to know that the origin of the nonlinear system (6) is an asymptotically stable equilibrium point if it is an asymptotically stable equilibrium point of the following linear time-varying delays systems

$$\begin{aligned} \dot{e}_i(t) &= J(t) e_i(t) + J_h(t) e_i(t-h(t)) \\ &\quad + J_{k_1}(t) \int_{t-k(t)}^t e_i(s) ds \\ &\quad + c_1 \sum_{j=1}^N a_{ij} G_1 e_j(t) \\ &\quad + c_2 \sum_{j=1}^N b_{ij} G_2 e_j(t-h(t)) \\ &\quad + c_3 \sum_{j=1}^N c_{ij} G_3 \int_{t-k(t)}^t e_j(s) ds \end{aligned} \quad (10)$$

$$\begin{aligned}
& -c_1 d_{i1}(t) e_i(t) - c_2 d_{i2}(t) e_i(t - h(t)) \\
& -c_3 d_{i3}(t) \int_{t-k(t)}^t e_i(\theta) d\theta, i = 1, \dots, N, \\
\dot{d}_{i1}(t) &= q_{i1} e_i^T(t) G_1 e_i(t), i = 1, \dots, N \\
\dot{d}_{i2}(t) &= q_{i2} e_i^T(t) G_2 e_i(t - h(t)), i = 1, \dots, N \\
\dot{d}_{i3}(t) &= q_{i3} e_i^T(t) G_3 \left[ \int_{t-k(t)}^t e_i(\theta) d\theta \right], i = 1, \dots, N.
\end{aligned}$$

Construct the the following Lyapunov-Krasovskii functional candidate:

$$\begin{aligned}
V(t) &= \frac{1}{2} \sum_{i=1}^N e_i^T(t) e_i(t) + \frac{1}{2} \sum_{i=1}^N \frac{c_1}{q_{i1}} (d_{i1}(t) - d_1^*)^2 \\
&+ \frac{c_2}{2(1-\beta)} \sum_{i=1}^N \int_{t-h(t)}^t e_i^T(s) G_2 e_i(s) ds \\
&+ \frac{1}{2} \sum_{i=1}^N \frac{c_2}{q_{i2}} (d_{i2}(t) - d_2^*)^2 \\
&+ \frac{c_3 k}{2} \sum_{i=1}^N \int_{-k}^0 \int_{t+s}^t e_i^T(\theta) G_3 e_i(\theta) d\theta ds \\
&+ \frac{1}{2} \sum_{i=1}^N \frac{c_3}{q_{i3}} (d_{i3}(t) - d_3^*)^2. \quad (11)
\end{aligned}$$

By taking the derivative of  $V(t)$  along the trajectories of system (6), we have the following:

$$\begin{aligned}
\dot{V}(t) &\leq \sum_{i=1}^N e_i^T(t) J(t) e_i(t) \\
&+ \sum_{i=1}^N e_i^T(t) J_h(t) e_i(t - h(t)) \\
&+ \sum_{i=1}^N e_i^T(t) J_k(t) \int_{t-k(t)}^t e_i(s) ds \\
&+ c_1 \sum_{i=1}^N \sum_{j=1}^N e_i^T(t) a_{ij} G_1 e_j(t) \\
&+ c_2 \sum_{i=1}^N \sum_{j=1}^N e_i^T(t) b_{ij} G_2 e_j(t - h(t)) \\
&+ c_3 \sum_{i=1}^N \sum_{j=1}^N e_i^T(t) c_{ij} G_3 \int_{t-h(t)}^t e_j(s) ds \\
&+ \frac{c_2}{2(1-\beta)} \sum_{i=1}^N e_i^T(t) G_2 e_i(t)
\end{aligned}$$

$$\begin{aligned}
& -\frac{c_2}{2} \sum_{i=1}^N e_i^T(t - h(t)) G_2 e_i(t - h(t)) \\
& -c_2 d_2^* \sum_{i=1}^N e_i^T(t) G_2 e_i(t - h(t)) \\
& -c_1 d_1^* \sum_{i=1}^N e_i^T(t) G_1 e_i(t) \\
& + \frac{c_3 k^2}{2} \sum_{i=1}^N e_i^T(t) G_3 e_i(t) \\
& - \frac{c_3 k}{2} \sum_{i=1}^N \int_{t-k}^t e_i^T(s) G_3 e_i(s) ds \\
& - c_3 d_3^* \sum_{i=1}^N e_i^T(t) G_3 \int_{t-k(t)}^t e_i(s) ds \quad (12)
\end{aligned}$$

Let  $e(t) = (e_1(t), \dots, e_N(t)) \in R^{n \times N}$ ,  $e(t - h(t)) = (e_1(t - h(t)), \dots, e_N(t - h(t))) \in R^{n \times N}$ ,  $\int_{t-k(t)}^t e(s) ds = \int_{t-k(t)}^t (e_1(s), e_2(s), \dots, e_N(s)) ds \in R^{n \times N}$ . we have

$$\begin{aligned}
\dot{V}(t) &\leq e^T(t) (I_N \otimes J(t)) e(t) \\
&+ e^T(t) (I_N \otimes J_h(t)) e(t - h(t)) \\
&+ c_1 e^T(t) (A \otimes G_1) e(t) \\
&+ c_2 e^T(t) (B \otimes G_2) e(t - h(t)) \\
&- c_1 d_1^* e^T(t) (I_N \otimes G_1) e(t) \\
&+ c_3 e^T(t) (C \otimes G_3) \int_{t-k(t)}^t e(s) ds \\
&- c_2 d_2^* e^T(t) (I_N \otimes G_2) e(t - h(t)) \\
&- c_3 d_3^* e^T(t) (I_N \otimes G_3) \int_{t-k(t)}^t e(s) ds \\
&+ \frac{c_2}{2(1-\beta)} e^T(t) (I_N \otimes G_2) e(t) \\
&- \frac{c_2}{2} e^T(t - h(t)) (I_N \otimes G_2) e(t - h(t)) \\
&+ \frac{c_3 k^2}{2} e^T(t) (I_N \otimes G_3) e(t) \\
&+ e^T(t) (I_N \otimes J_k(t)) \int_{t-k(t)}^t e(s) ds \\
&- \frac{c_3 k}{2} \int_{t-k}^t e^T(s) (I_N \otimes G_3) e(s) ds. \quad (13)
\end{aligned}$$

Applying Lemma 3., Lemma 4. and Lemma5. gives

$$\begin{aligned}
& e^T(t) (I_N \otimes J_h(t)) e(t - h(t)) \\
& \leq \frac{1}{2\varepsilon_1} e^T(t) (I_N \otimes J_h(t) J_h^T(t)) e(t) \\
& + \frac{\varepsilon_1}{2} e^T(t - h(t)) e(t - h(t)), \quad (14)
\end{aligned}$$

$$\begin{aligned} & e^T(t)(I_N \otimes J_k(t)) \int_{t-k(t)}^t e(s) ds \\ \leq & \frac{1}{2\varepsilon_2} e^T(t)(I_N \otimes J_k(t)J_k^T(t))e(t) \end{aligned} \quad (15)$$

$$\begin{aligned} & + \frac{\varepsilon_2}{2} \left( \int_{t-k(i)}^t e^T(s) ds \right)^T \left( \int_{t-k(i)}^t e^T(s) ds \right) \\ & c_2 e^T(t)(B \otimes G_2)e(t-h(t)) \\ \leq & \frac{c_2}{2\varepsilon_3} e^T(t)(BB^T \otimes G_2G_2^T)e(t) \\ & + \frac{c_2\varepsilon_3}{2} e^T(t-h(t))e(t-h(t)), \end{aligned} \quad (16)$$

$$\begin{aligned} & c_3 e^T(t)(C \otimes G_3) \int_{t-k(t)}^t e(s) ds \\ \leq & \frac{c_3}{2\varepsilon_4} e^T(t)(CC^T \otimes G_3G_3^T)e(t) \end{aligned} \quad (17)$$

$$\begin{aligned} & + \frac{c_3\varepsilon_4}{2} \left( \int_{t-k(i)}^t e^T(s) ds \right)^T \left( \int_{t-k(i)}^t e^T(s) ds \right) \\ & - c_2 d_2^* e^T(t)(I_N \otimes G_2)e(t-h(t)) \\ \leq & \frac{c_2 d_2^*}{2\varepsilon_5} e^T(t)(I_N \otimes G_2G_2^T)e(t) \\ & + \frac{c_2 d_2^* \varepsilon_5}{2} e^T(t-h(t))e(t-h(t)), \end{aligned} \quad (18)$$

$$\begin{aligned} & - c_3 d_3^* e^T(t)(I_N \otimes G_3) \int_{t-k(t)}^t e(s) ds \\ \leq & \frac{c_3 d_3^*}{2\varepsilon_6} e^T(t)(I_N \otimes G_3G_3^T)e(t) \\ & + \frac{c_3 d_3^* \varepsilon_6}{2} \left( \int_{t-k(i)}^t e^T(s) ds \right)^T \left( \int_{t-k(i)}^t e^T(s) ds \right). \end{aligned} \quad (19)$$

Hence, according to(13) -(14) we have

$$\begin{aligned} \dot{V}(t) \leq & e^T(t)(I_N \otimes J(t) + c_1(A \otimes G_1) \\ & - c_1 d_1^*(I_N \otimes G_1)) + \frac{c_2}{2(1-\beta)}(I_N \otimes G_2) \\ & + \frac{c_3 k^2}{2}(I_N \otimes G_3) + \frac{1}{2\varepsilon_1}(I_N \otimes J_h(t)J_h^T(t)) \\ & + \frac{1}{2\varepsilon_2}(I_N \otimes J_k(t)J_k^T(t)) \\ & + \frac{c_2}{2\varepsilon_3}(BB^T \otimes G_2G_2^T) \\ & + \frac{c_3}{2\varepsilon_4}(CC^T \otimes G_3G_3^T) \\ & + \frac{c_2 d_2^*}{2\varepsilon_5}(I_N \otimes G_2G_2^T) \\ & + \frac{c_2 d_3^*}{2\varepsilon_6}(I_N \otimes G_3G_3^T))e(t) \\ & + \frac{c_2}{2\varepsilon_3}(BB^T \otimes G_2G_2^T) \\ & - e^T(t-h(t))\left(\frac{c_2}{2}(I_N \otimes G_2) \right. \end{aligned}$$

$$\begin{aligned} & \left. + \delta(I_N \otimes G_2)\right)e(t-h(t)) \\ & - \left( \int_{t-k}^t e(s) ds \right)^T \left( \frac{c_3}{2}(I_N \otimes G_3) \right. \\ & \left. - \tau(I_N \otimes G_3) \right) \left( \int_{t-k}^t e(s) ds \right) \\ \leq & (\eta - c_1 d_1^*)e^T(t)(I_N \otimes G_1)e(t) \\ & - e^T(t-h(t))\left(\left(\frac{c_2}{2} - \delta\right) \right. \\ & \left. (I_N \otimes G_2)\right)e(t-h(t)) \\ & - \left( \int_{t-k}^t e(s) ds \right)^T \left( \left(\frac{c_3}{2} - \tau\right)(I_N \otimes G_3) \right. \\ & \left. \left( \int_{t-k}^t e(s) ds \right) \right). \end{aligned} \quad (20)$$

It is obviously that there exists sufficiently large positive constant  $d_1^*$ ,  $d_2^*$  and  $d_3^*$  such that

$$d_1^* - \frac{\eta}{c_1} > 0, \quad (21)$$

$$d_2^* - \frac{1}{\varepsilon_5} \left( \frac{\varepsilon_1}{c_2} + \varepsilon_2 - \lambda_{\min}(I_N \otimes G_2) \right) > 0, \quad (22)$$

$$d_3^* - \frac{1}{\varepsilon_6} \left( \frac{\varepsilon_2}{c_3} + \varepsilon_4 - \lambda_{\min}(I_N \otimes G_3) \right) > 0. \quad (23)$$

We can choose  $d_1^*$ ,  $d_2^*$ ,  $d_3^*$  satisfying (21), (22) and (23), respectively. Since  $G_1$ ,  $G_2$  and  $G_3$  are positive definite diagonal matrix, we know that  $\dot{V}(t) \leq 0$  and  $\dot{V}(t) = 0$  if and only if  $\xi(t) = 0$ . Hence, the set  $\mathcal{W} = \{\xi(t) = 0, d_{1i} = d_1^*, d_{2i} = d_2^*, d_{3i} = d_3^*\}$  is the invariant set contained in  $\mathcal{W}_1 = \{\xi(t) = 0 : \dot{V}(t) = 0\}$  for system (6). According to LaSalle invariance principle [3] and Lyapunov stability theory, for any initial condition, every solution of system (6) approaches  $\mathcal{W}$  as  $t \rightarrow \infty$ , which indicates that  $\|e_i(t)\| \rightarrow 0, i = 1, 2, \dots, N$ , this means that the function projective synchronization between the delayed complex dynamical networks (1) and the reference node  $s(t)$  is achieved under hybrid adaptive control (4). The proof is this completed.  $\square$

## 4 Numerical Example

In this section, we present example to illustrate the effectiveness and the reduced conservatism of our result.

**Example 4.1** We first consider the perturbed Chua's circuit system with mixed time-varying delays is used as uncoupled node in the network (1) to show the effectiveness of the proposed control scheme. The perturbed Chua's circuit system with mixed time-varying






Figure 2: Shows the function projective synchronization errors between the states of isolate node  $\alpha(t)s(t)$  and node  $x_i(t)$ , where  $e_{ij}(t) = x_{ij}(t) - \alpha_j(t)s_j(t)$  for  $i = 1, \dots, 8, j = 1, 2, 3$  without adaptive controller




Figure 3: Shows the function projective synchronization errors between the states of isolate node  $\alpha(t)s(t)$  and node  $x_i(t)$ , where  $e_{ij}(t) = x_{ij}(t) - \alpha_j(t)s_j(t)$  for  $i = 1, \dots, 8, j = 1, 2, 3$  with adaptive controller

## 5 Conclusion

This paper investigated function projective synchronization (FPS) for complex dynamical network with mixed time-varying and hybrid coupling delays, which is composed of state coupling, time-varying delay coupling and distributed time-varying delay coupling. In contrast to previous results, the coupling configuration matrix need not be symmetric or irreducible. The designed controller ensures that the FPS of delayed complex dynamical network are proposed via hybrid error adaptive control, which contains error term, time-varying delay error term and distributed time-varying delay error term. By using new methods to deal with asymmetric coupling matrix and a new class of Lyapunov-Krasovskii functional, improved PFS criteria are obtained. Simulation results have been given to illustrate the effectiveness of the proposed method.

**Acknowledgements:** The authors sincerely thank the anonymous reviewers and the editors for their valuable comments that have led to the present improved version of the original manuscript. The first author was financial supported by the Thailand Research Fund (TRF), the Office of the Higher Education Commission (OHEC), Khon Kaen University (grant number : MRG5880009).

### References:

- [1] K. Gu, V.L. Kharitonov and J.Chen, Stability of time-delay system, Boston: Birkhauser, 2003.
- [2] M. MacDuffee, The theory of matrices, Dover publications, New York, 2004.
- [3] J.H. Hale, Theory of Functional Differential Equations, Springer-Verlag, New York, 1977.
- [4] J.H. Wilkinson, The Algebraic Eigenvalue Problem. Oxford University Press: U.K., 1965.
- [5] M. Faloutsos, P. Faloutsos, C. Faloutsos, On power-law relationships of the Internet topology, *Comput. Commun. Rev.*, 29, 1999, pp.251–263.
- [6] R. Albert, H. Jeong, A.L. BarabVasi, Diameter of the world wide web, *Nature.*, 401, 1999, pp. 130–131.
- [7] R.J. Williams, N. D. Martinez, Simple rules yield complex food webs, *Nature.*, 404, 2000, 180–183.
- [8] H. Jeong, B. Tombor, R. Albert, Z. Oltvai, A.L. BarabVasi, The large-scale organization of metabolic network, *Nature.*, 407, 2000, pp. 651–653.
- [9] S. Wassrman, K. Faust, Social Network Analysis, Cambridge University Press, Cambridge, 1994.



- [10] S.H. Strogatz, Exploring complex networks, *Nature*, 410, 2001, pp. 268–276.
- [11] Q. Zhang, J. Lü, C.K. Tse, Adaptive Feedback Synchronization of a General Complex Dynamical Network With Delayed Nodes, *IEEE Trans. Circuits Syst. II.*, 55, 2008, pp. 183–187.
- [12] T. Botmart, Niamsup P. Adaptive control and synchronization of the perturbed Chua's system. *Mathematics and Computers in Simulation*, 75, 2007, pp. 37–55.
- [13] H. Dai, G. Si, Y. Zhang, Adaptive generalized function matrix projective lag synchronization of uncertain complex dynamical networks with different dimensions, *Nonlinear Dyn*, 74, 2013, pp. 629–648.
- [14] S.K. Agrawal, S. Das, Function projective synchronization between four dimensional chaotic systems with uncertain parameters using modified adaptive control method, *Journal of Process Control*, 24, 2014, pp. 517–530.
- [15] H. Du, Function projective synchronization in complex dynamical networks with or without external disturbances via error feedback control, *Neurocomputing*, 173, 2016, pp. 1443–1449.
- [16] G. A. mahbashi, M. S. M. Noorani, S. A. Bakar and M. M. A. Sawalha, Adaptive projective lag synchronization of uncertain complex dynamical networks with delay coupling, *Advances in Difference Equations*, 356, 2015, 356, pp. 1–13.
- [17] S. Wang, S. Zheng, B. Zhang, H. Cao, Modified function projective lag synchronization of uncertain complex networks with time-varying coupling strength, *Optik*, 127, 2016, pp. 4716–4725.
- [18] C.F. Feng, Projective synchronization between two different time-delayed chaotic systems using active control approach, *Nonlinear Dyn.*, 62, 2010, pp. 453–459.
- [19] P.C. Rao, Z.Y. Wu, M. Liu, Adaptive projective synchronization of dynamical networks with distributed time delays, *Nonlinear Dyn.* 67, 2012, pp. 1729–1736.
- [20] L. Wang, Z. Yuan, X. Chen, Z. Zhou, Adaptive function projective synchronization of uncertain complex dynamical networks with disturbance, *Commun. Nonlinear Sci. Numer. Simul.*, 16, 2011, pp. 987–992.
- [21] R. Zhang, Y. Yang, Z. Xu, M. Hu, Function projective synchronization in driveresponse dynamical network, *Physics Letters A*, 374, 2010, pp. 3025–3028.
- [22] S. Wang, S. Zheng, Adaptive function projective synchronization of uncertain complex dynamical networks with disturbance, *China Phys. B* 22 (2013) 070503.
- [23] H. Du, P. Shi, N. L?, Function projective synchronization in complex dynamical networks with time delay via hybrid feedback control, *Nonlinear Anal. RWA*, 14, 2013, pp. 1182–1190.
- [24] X. Wu, H. Lu, Generalized function projective (lag, anticipated and complete) synchronization between two different complex networks with nonidentical nodes, *Commun. Nonlinear Sci. Numer. Simul.*, 17, 2012, pp. 3005–3021.
- [25] K. S. Sudheer, M. Sabir, Adaptive function projective synchronization of two-cell Quantum-CNN chaotic oscillators with uncertain parameters, *Physics Letters A*, 373, 2009, pp. 847–1851.
- [26] W. Yang, J. Sun, Function projective synchronization of two-cell quantum-CNN chaotic oscillators by nonlinear adaptive controller, *Physics Letters A*, 374, 2010, pp. 557–561.
- [27] L. Shi, H. Zhu, S. Zhong, K. Shi, J. Cheng, J, Function projective synchronization of complex networks with asymmetric coupling via adaptive and pinning feedback control, *ISA Transactions*, In Press, Available online 26 July 2016.
- [28] T. Botmart, P.Niamsup, Exponential Synchronization of Complex Dynamical Network with Mixed Time-varying and Hybrid Coupling Delays via Intermittent Control, *Advances in Difference Equation*. 116, 2014, pp. 1–33.
- [29] J. Lu J. Cao D.W.C. Ho, Adaptive stabilization and synchronization for chaotic Lur'e systems with time-varying delay, *IEEE Trans Circuits Syst I-Regul Pap*, 55, 2008, pp. 1347–1356.
- [30] Z. Wu X. Xu G. Chen X. Fu, Adaptive synchronization and pinning control of colored networks, *Chaos*, 22:043137, 2012, pp. 1-7.
- [31] B. Cui, X. Lou, Synchronization of chaotic recurrent neural networks with time-varying delays using nonlinear feedback control, *Chaos Solitons Fractals*, 39, 2009, pp. 288–294.
- [32] L. Shi, H. Zhu, S. Zhong, Y. Zeng, J. Cheng, Synchronization for time-varying complex networks based on control. *J Comput Appl Math*, 301, 2016, pp. 178–187.
- [33] T.H. Lee, Z. Wu, J.H. Park, Synchronization of a complex dynamical network with coupling time-varying delays via sampled-data control. *Appl Math Comput*, 219, 2012, pp.1354–1366.
- [34] X. Guo, J. Li, A new synchronization algorithm for delayed complex dynamical networks via adaptive control approach, *Commun Nonlinear Sci Numer Simulat*, 17, 2012, pp. 4395–4403.

- [35] H. Gao, J. Lam, G. Chen, New criteria for synchronization stability of general complex dynamical networks with coupling delays, *Phys. Lett. A.* 306, 2006, pp. 263–273.
- [36] J. Zhou, L. Xiang, Z. Liu, Z. Global synchronization in general complex delayed dynamical networks and its applications, *Phys. Lett. A.* 385, 2007, pp. 729–742.
- [37] X.F. Wang, G. Chen, Synchronization Scale-free dynamical networks: robustness and fragility, *IEEETrans. Circuits Syst. I.*, 49, 2002, pp. 54–62.
- [38] X.F. Wang, G. Chen, Synchronization small-world dynamical networks, *Int.J.Bifurcat.Chaos.*, 12 2002, 187–192.
- [39] L. Wang, H.P. Dai, X.Y. Sun, Synchronization criteria for a generalized complex delayed dynamical network model, *Phys. Lett. A.*, 383, 2007, pp. 703–713.
- [40] P. Li, Z. Yi, Synchronization analysis of delayed complex networks with time-varying couplings, *Phys. Lett. A.* 387, 2008, 3729–3737.