





















- A Critical Evaluation”, IEEE Transactions Industry Applications, Vol. 24, No. 2, March/April 1998, pp. 271- 280.
- [8] S. Fukuda and K. Suzuki, “Harmonic evaluation of two-level carrier-based PWM methods” in Proc. EPE, Trondheim, Norway, 1997, pp. 331–336.
- [9] S. Jeevananthan, P. Dananjayan, S. Venkatesan “A Novel Modified Carrier PWM Switching Strategy for Single-Phase Full-Bridge Inverter”, Iranian Journal of Electrical and Computer Engineering, Summer Fall - Special Section on Power Engineering, Vol. 4, No. 2, 2005, pp. 101-108, Tehran, Iran.
- [10] S. R. Bowes and D. Holliday, “Optimal regular sampled PWM inverter control techniques,” IEEE Trans. Ind. Electron., vol. 54, no. 3, Jun. 2007, pp. 1547–1559.
- [11] F. Vargas-Merino, M.J. Meco-Gutierrez, J.R. Heredia-Larrubia, and A. Ruiz-Gonzalez “Low Switching PWM Strategy Using a Carrier Wave Regulated by the Slope of a Trapezoidal Modulator Wave,” IEEE Trans. on Industrial Electronics, vol.56, no.6, June 2009, pp.2270-2274.
- [12] S. Jeevananthan, R. Nandhakumar, P. Dananjayan “Inverted Sine Carrier for Fundamental Fortification in PWM Inverters and FPGA Based Implementations”, Serbian Journal of Electrical Engineering, Vol. 4, No. 2, Nov. 2007, pp. 171 – 187.
- [13] H. Habeebullah Sait and S. Arul Daniel “Modulation index control of a SPWM inverter fed from an Autonomous Hybrid Wind-driven PM alternator and Photovoltaic Array”, Australian Journal of Electrical and Electronics Engineering, Vol.6 No.2. 2009, pp 191-203. (Institution of Engineers, Australia).
- [14] H. Habeebullah Sait and S. Arul Daniel “A New Control Paradigm for Integration of Photovoltaic Energy Sources with utility network”, International Journal of Electrical power and Energy Systems(Elsevier), Volume 33, Issue 1, 2011, pp. 86-93.
- [15] Colak Ilhami, et al “Developing a novel sinusoidal pulse width modulation (SPWM) technique to eliminate side band harmonics”, Electric Power and Energy Systems Vol. 44, 2013, pp. 861–71.
- [16] Anderson, P. M. Bose, “A Stability simulation of wind turbine system”, IEEE Transaction Power Apparatus System Vol. 12, 1983, pp.3791–3795.
- [17] Lee, D. J. and Wang, L.: Analysis of a novel autonomous marine hybrid power generation/energy storage system with a high-voltage direct current link, Journal of Power Sources 185, No. 2, Dec. 2008, pp.1284–1292.
- [18]. H. Matsuo and F. Kurokawa, “Novel solar cell power supply system using bidirectional dc-dc converter” in proc. IEEE power electron. spec. conf. (PESC), Cambridge, MA, June 1982, pp. 14-19.
- [19] T. Shimizu, M. Hirakata, T. Kamezawa and H. Watanabe, “Generation control circuit for photovoltaic modules” in IEEE Trans. Power Electron. vol. 16, no.3, March 2001, pp.293-300.
- [20] Dong-jing Lee and Li Wang, “Small-signal stability analysis of an autonomous hybrid renewable energy power generation/energy storage system Part I: Time-Domain Simulations”, IEEE Transactions on Energy conversion, vol.23, March 2008, pp.311-320.