















work of manufacturing system, so we have to do with a function of anticipation.

The proposed method has the advantage of being applicable to any manufacturing system, regardless the physical nature of the process and the product features.

The method provides the extended modelling of the manufacturing system.

#### *References:*

- [1] European Manufacturing Companies Compete: Industrial Competitiveness, Employment and Growth in Europe” in *European Management Journal*, Volume 25, Issue 4, 251-265, 2007.
- [2] Epureanu A., Buruiana F., Ciuntu S., Susac F., “Algorithm for Economical Characteristics Identification a Machining System”, *The Annals of Dunarea de Jos University of Galati, Fasc. V*, ISSN 1221-4566, 135-139, 2007.
- [3] H'nida F., Martin P., Vernadat F. „Cost estimation in mechanical production: The Cost Entity approach applied to integrated product engineering”, *International Journal of Production Economics*, 103, 17-35, 2006.
- [4] Lerch F.J., Harter D.E., „Cognitive support for real-time dynamic decision making”, *Information System Research*, 12(1), 63-82, 2001.
- [5] Wang M., Wang H., „From process logic to business logic- A cognitive approach to business management”, *Information & Management*, 43, 179-193, 2006.
- [6] Garcia-Crespo A., Ruiz-Mezcua B. „A review of conventional and knowledge based systems for machining price quotation”, *J Intell Manuf*, Springer, 2009.