















medium,"*Technology*, pp. 1–7, 2015.

- [16] K. Zar, N. Aung, and N. Htway, "Microcontroller Control Thermoelectric heating and Cooling System using TEC1-12706 of the Creative Commons Attribution License (CC BY 4.0) (<http://creativecommons.org/licenses/by/4.0>)," vols. 4, no. July, pp. 1706–1710, 2020.
- [17] Y. Wirdan, "The effect of peltier position on cooler box performance," no. 62, pp. 1–5, 2010.
- [18] N. Wendri, I. wayan Supardi, KN Suarbawa, and NM Yuliantini, "Automatic Temperature Recording Tool using AT89S51 Microcontroller-based Thermocouple,"*Bull. Fis.*, vol. 13, no. 1, pp. 29–33, 2012, [Online]. Available: [www.wfunda.com/desingstandards/sensors/%0Ahttps://ojs.unud.ac.id/index.php/buletinfisika/article/view/31286](http://www.wfunda.com/desingstandards/sensors/%0Ahttps://ojs.unud.ac.id/index.php/buletinfisika/article/view/31286).
- [19] C. Cholish, R. Rimbawati, and AA Hutasuhut, "Comparative Analysis of Switch Mode Power Supply (SMPS) and Linear Transformers in Audio Amplifiers,"*CIRCUIT J.Ilm. Educator. Tech. Electro*, vol. 1, no. 2, pp. 90–102, 2017, doi: 10.22373/crc.v1i2.2079.