



















- conformal”, IEEE Transactions on antennas and propagation, vol. 57, no.4, pp. 910–918.
- [7] Lee.J, Kwak.S.I, and Lim.S, (2011), “Wrist-wearable zeroth-order resonant antenna for wireless body area network applications”, Electron. Lett. Vol. 47, pp. 431–433.
- [8] Mohd I. Jail, Mohd F. Jamlos, Nur L. K. Ishak, (Apr. 2013), “A novel 2.45 GHz switchable beam textile antenna (SBTA) for outdoor wireless body area network (WBAN) applications”, Progress in Electromagnetics research, vol.138, 613-627.
- [9] RameezShamalik, and SushamaShelke, (May 2012), “Design and Simulation of Flexible Antenna for ISM band”, International Journal of Engineering Research and Applications, pp. 2168-2170, vol no. 2.
- [10] Zhang.H.S, Xiao.K, Qiu.L, Chai.S.L, (Mar. 2014), “Wide band E-shape wearable antenna for wireless body area network”, IEEE International Wireless Symposium (IWS), pp. 24-26.
- [11] T. Kellomaki, W.G. Whittow, J. Heikkinen, and L. Kettunen, “2.4GHz plaster antennas for health monitoring”, in Proc. 3rd Eur. Conf. on Antennas and Propagation, Berlin, Germany, Mar. 23–27, 2009, pp. 211–215.
- [12] S. Zhu and R. Langley, “Dual-band wearable textile antenna on an EBG Substrate”, IEEE Trans. Antennas Propag., vol. 57, no. 4, pp. 926–935, Apr. 2009.
- [13] N. H.M. Rais, P. J. Soh, F. Malek, S. Ahmad, N. B. M. Hashim, and S. Hall, “A review of wearable antenna”, in Proc. Loughborough Antennas & Propagation Conf., Loughborough, U.K., pp. 225–228.
- [14] A. W. Astrin, H.-B. Li, and R. Kohno, “Standardization for body area networks”, IEICE Trans. Commun., vol. E92-B, no. 2, pp. 366–372, Feb. 2009.
- [15] J.-Y. Yu, W.-C. Liao, and C.-Y. Lee, “A MT-CDMA based wireless body area network for ubiquitous healthcare monitoring”, in Proc. BioCAS, Nov. 2006, pp. 98–101.
- [16] J. Yoo, L. Yan, S. Lee, H. Kim, B. Kim, and H.-J. Yoo, “An attachable ECG sensor bandage with planar-fashionable circuit board”, in Proc. Int. Symp. On Wearable Computers, 2009, pp. 145–146.
- [17] L. Giauffert, J. Laheurte, and A. Papiernik, “Study of various shapes of the coupling slot in CPW-fed microstrip antennas”, IEEE Trans. Antennas Propag., vol. 45, no. 4, pp. 642–647, Apr. 1997.
- [18] M. Tanaka and J. H. Jang, “Wearable microstrip antenna”, presented at the IEEE APS Int. Symp. On Antennas and Propagation and URSI North Amer. Radio Science Meeting, Columbus, OH, USA, Jun. 2003.
- [19] J. S. Dahele, R. J. Mitchell, K.M. Luk, and K. F. Lee, “Effect of curvature on characteristic of rectangular patch antenna”, Electron. Lett. vol. 23, pp. 74–749, Jul. 1987.
- [20] K. Fukunaga, S. Watanabe, Y. Yamanaka, H. Asou, Y. Ishii, and K. Sato, “Optimisation of tissue-equivalent liquids for SAR measurements”, in Proc. Progress in Electromagnetic Research Symp. Pisa, Italy, Mar. 28–31, 2004, pp. 65–68.
- [21] R. Garg, P. Bhartia, I. Bahl, and A. Ittipiboon, “Microstrip Antenna Design Handbook”, Norwood, MA, USA: Artech House, 2001.
- [22] C. A. Balanis, “Antenna Theory: Analysis and Design”. New York, NY, USA: Harper and Row, 1982.