









- with different cement type. *J Adv Prosthodont.* 2015 Dec;7(6):475-83.
- [12] Ha SR, Kim SH, Han JS, Yoo SH, Jeong SC, Lee JB, Yeo IS. The influence of various core designs on stress distribution in the veneered zirconia crown: a finite element analysis study. *J Adv Prosthodont* 2013;5:187-97.
- [13] Li X, Cao Z, Qiu X, Tang Z, Gong L, Wang D. Does matching relation exist between the length and the tilting angle of terminal implants in the all-on-four protocol? stress distributions by 3D finite element analysis. *J Adv Prosthodont* 2015; 7:240-8.
- [14] Kohorst P, Dittmer MP, Borchers L, Stiesch-Scholz M. Influence of cyclic fatigue in water on the load-bearing capacity of dental bridges made of zirconia. *Acta Biomater* (2008) 4, 1440-1447.
- [15] Staninec M, Marshall GW, Hilton JF, Pashley DH, Gansky SA, Marshall SJ, Kinney JH. Ultimate tensile strength of dentin: Evidence for a damage mechanics approach to dentin failure. *J Biomed Mater Res.* 2002;63(3):342-5.
- [16] Lekesiz H. Reliability estimation for single-unit ceramic crown restorations. *J Dent Res.* 2014 Sep;93(9):923-8.