











- [8] J. Kala, M. Husek, Useful Material Models of Concrete when High Speed Penetrating Fragments are Involved, *Proceedings of the 9th International Conference on Continuum Mechanics*, Vol.15, 2015, pp. 182-185.
- [9] F. Hokes, J. Kala, O. Krnavek, Nonlinear Numerical Simulation of a Fracture Test with Use of Optimization for Identification of Material Parameters, *International Journal of Mechanics*, Vol.10, 2016, pp. 159-166.
- [10] J. Kala, P. Hradil, M. Bajer, Reinforced concrete wall under shear load – Experimental and nonlinear simulation, *International Journal of Mechanics*, Vol.9, 2015, pp. 206-212.
- [11] J. Kala, M. Husek, High Speed Loading of Concrete Constructions with Transformation of Eroded Mass into the SPH, *International Journal of Mechanics*, Vol.10, 2016, pp. 145-150.
- [12] J. Kala, M. Husek, Improved Element Erosion Function for Concrete-Like Materials with the SPH Method, *Shock and Vibration*, Vol.2016, 2016, pp. 1-13.
- [13] G. R. Liu, M. B. Liu, *Smoothed Particle Hydrodynamics: a meshfree particle method*, World Scientific Publishing Co. Pte. Ltd, 2003.
- [14] W. Benz, Smoothed particle hydrodynamics: a review, *NATO Workshop*, Les, Arcs, France; 1989.
- [15] Livermore Software Technology Corporation (LSTC), *LS-DYNA Theory Manual*, LSTC, Livermore, California, USA, 2016.
- [16] Y. D. Murray, *User's manual for LS-DYNA concrete material model 159*, FHWA-HRT-05-062, 2007.
- [17] Y. D. Murray, A. Abu-Odeh, R. Bligh, *Evaluation of concrete material model 159*, FHWA-HRT-05-063, 2006.